



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/637,142	08/08/2003	Show-Mean Wu	1001.1684101	3414
28075 7590 08/28/2007 CROMPTON, SEAGER & TUFTE, LLC 1221 NICOLLET AVENUE SUITE 800 MINNEAPOLIS, MN 55403-2420			EXAMINER THANH, LOAN H	
			ART UNIT 3763	PAPER NUMBER
			MAIL DATE 08/28/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/637,142

Applicant(s)

WU ET AL.

Examiner

LoAn H. Thanh

Art Unit

3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 January 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) _____ is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-13 is/are allowed.
- 6) ☒ Claim(s) 14-18, 21-25 is/are rejected.
- 7) ☒ Claim(s) 19, 20, 26 and 27 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION

Response to Amendment

Applicant's amendment to claim 1 overcomes the prior art of record.

Applicant's arguments are convincing with respect to claims 6 and its dependent claims.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 14-18, 21-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Holman et al. (US 6,953,470 B2) in view of Barath (US 5,196,024).

Holman et al. disclose a balloon catheter having an elongate shaft including an inner tube and outer tube and an inflation lumen disposed therebetween for use in angioplasty. Holman et al. disclose plurality of distal openings 52. (See figures 3, 5 and col. 5, lines 5-24). However, Holman et al. does not teach cutting edges on the balloon. Barath teaches a cutting balloon having cutting edges on the balloon and holes for inflating the balloon for use in vessels which would require plaques to be removed. It would have been obvious to one of ordinary skill in the art of balloon angioplasty to modify the balloon to include cutting blades such as those disclosed by Barath in order to remove plaque or stenosis in the blood vessels.

With respect to claims 16-18 and 23-25, Holman et al. in view of Barath are both silent to the shapes of the cross section or the number of lumen being 4. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the cross sectional area of the side lumen as a mere design choice lacking any criticality of the shape. The Examiner is taking the position that matters relating to ornamentation only, which have no mechanical function, cannot be relied upon to patentably distinguish the claimed invention from the prior art. The particular shape of a product is of no patentable significance since it appears to be a matter of choice that a person of ordinary skill in the art would find obvious absent persuasive evidence that the particular configuration of the claimed shape of the cross sectional area was significant. In re Dailey, 357 F.2d 669,149 USPQ 47 (CCPA 1966). With respect to the number of the lumens, it is well known in the catheter arts to increase the number of lumens in a catheter for any desired purpose. Multi-lumen catheters are well known in the catheter arts.

Allowable Subject Matter

Claims 19-20,26-27 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 1-13 are allowable.

Response to Arguments

Applicant's arguments filed 01/16/07 have been fully considered but they are not persuasive.

With respect to claims 14 –18, 21-25, applicant's arguments are not convincing. The prior art as combined is still being maintained lacking any further evidence that the combination would not perform in the same or equivalent manner. Further, it would be predictable to place a balloon with blades over any catheter whether it is multilumen or not. Applicant is suggested to claim the blades/cutting members being aligned with the openings which appears to be the inventive concept and would overcome the prior art of record.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Art Unit: 3763

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LoAn H. Thanh whose telephone number is (571) 272-4966. The examiner can normally be reached on Mon. - Fri. (First Friday off).

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LoAn H. Thanh/

LoAn H. Thanh
Primary Examiner
Art Unit 3763

LT